

CONTENTS

FIBREGLASS EXTERIOR DOORS	4
CONTOURS™ STEEL EXTERIOR DOORS	8
ENTRY DOOR SYSTEM	12
DOUBLE DOOR SYSTEM	13
GARDEN DOOR SYSTEM	13
DOOR OPTIONS	14
STANDARD DOORS & SIDELITES	18





THE WILLMAR® COLLECTION. We understand that the entry door of your home represents an invitation to come see what's beyond. It must be functional, too. This requires a combination of beauty and practicality — features that distinguish the Willmar® Collection of Fibreglass, Contours™ steel entry and garden doors. They have been created to help customers turn houses into homes that are comfortable and quiet, snug and secure. In fact, our series of entry doors suits anyone with an active life, by providing privacy and energy efficiency plus distinctive styles to enhance the design of your home. Reliability for real life®. ■



Many Willmar Collection doors meet ENERGY STAR ratings. Visit eco.reno.ca to view qualifying products in your region.

Whatever you need your front door to be, JELD-WEN® can fulfill your requirements. We make the greatest range of reliable exterior doors to suit a variety of architectural styles, climates and budgets. Our enduring JELD-WEN Fiberglass exterior doors are a low-maintenance choice with beautiful details and designs to increase curb appeal. ■



FIBREGLASS EXTERIOR DOORS



These doors feature greater detailing for a more genuine wood appearance, and they're made to be architecturally authentic. For example, new flat-paneled Craftsman designs are ideal for homes with Mission, Prairie, Shaker and Craftsman architecture. Our charming plank door designs complement Old World home styles. And the distinctive look of our Oak woodgrain designs with panel profiles and Mahogany woodgrain designs with raised moulding will enhance any home. Only JELD-WEN offers so many fiberglass door designs and options.



Our Oak woodgrain fiberglass doors are also available in a smooth finish, for a long lasting alternative to steel entry doors.

OAK WOODGRAIN FIBREGLASS DOORS



Flush 3-Panel 6-Panel Full Lite 3/4 Lite 1/2 Lite 2-836 Lites

2'8" x 6'8"	■		■	■	■	■	■
3'0" x 6'8"	■	■	■	■	■	■	■
2'8" x 8'0"	■		■	■		■	
3'0" x 8'0"	■		■	■		■	

CRAFTSMAN FIBREGLASS DOORS



6-Panel 3-2515 2515 Full Sidelite
(shown w/optional Dentil Shelf)

3'0" x 6'8"	■	■	■	6'8"	■
3'0" x 8'0"				8'0"	









FIBREGLASS EXTERIOR DOORS

These doors are built with strength, stability and reliability in mind.

They come ready to stain or paint, and are designed to stay attractive longer, with less maintenance in any climate.

								
Full Lite Round Top	1/2 Lite Round Top	Oval	Small Oval	Sunburst	Full Sidelite	3/4 Sidelite	1/2 Sidelite	
■	■	■		■	6'8	■	■	■
■	■	■	■	■	8'0	■		

PREMIUM MAHOGANY FIBREGLASS DOORS

					
2-Panel Square Top	2-Panel Arch Top	1-Panel Square Top Planked	2-Panel Arch Top Planked	2-Panel Square Top Planked	1-Panel Arch Top Planked
3'0 x 6'8	■	■	■	■	
3'0 x 8'0		■	■	■	■
3'6 x 8'0		■	■	■	■

Willmar Collection

Contours™ steel exterior doors combine resilience and strength to provide doors that are easy to care for, energy efficient and extremely reliable.

We also offer a complete selection of decorative options including grilles, brickmoulds and decorative inserts. ■



CONTOURS™ STEEL EXTERIOR DOORS




We use the JELD-WEN Contours™ door for its superior durability, insulating qualities and its distinctive beaded sticking profile. With dramatic shadow lines and the look of true wood, this profile has curb appeal previously unseen in a steel door. You'll also benefit from our cold-climate design, which teams up the insulation qualities of our steel door with a protective weather-stripping to further block water and air infiltration. The result is an entry or garden door that gives you safety and comfort no matter what the weather brings outside.



DOOR CONSTRUCTION

Contours™ steel doors are built with a tough, 24-gauge steel skin for all-weather performance. The closed-cell core design and mitered 1" wood stiles and rail corners prevent water absorption, while the



Flush



2-Panel



2-Panel Arch Top



2-Panel Arch Top Planked



3-Panel Arch



6-Panel

2'8 x 6'8	■	■	■	■	■	■
3'0 x 6'8	■	■	■	■	■	■
2'8 x 8'0	■					■
3'0 x 8'0	■					■



Full Lite Round Top



1/2 Lite Round Top



Oval



Small Oval



Centre Arch



718

2'8 x 6'8	■	■	■	■	■	■
3'0 x 6'8	■	■	■	■	■	■
2'8 x 8'0						
3'0 x 8'0						

CONTOURS™ STEEL EXTERIOR DOORS

one-piece custom-fitted polystyrene core exceeds NFRC industry standards for U-factor retention. Lock blocks of 12" kiln-dried wood provide complete lock and dead bolt support. Contours™ doors are available with a standard wood edge and they come ready to paint, with two coats of durable baked-on enamel primer.



8-Panel
Centre Arch



9-Panel
Arch



Full Lite




3/4 Lite



1/2 Lite



2-836 Lites



Segmental



Sunburst





Full Sidelite



3/4 Sidelite



1/2 Sidelite



ENTRY DOOR SYSTEM



Continuous sill with common mullion post construction



Adjustable sill

Our dramatic entryways deliver a clean look and pleasing aesthetic appeal for your home. Designed with an adjustable and continuous sill and centre post construction to resist wear and provide a tight seal, our single door and sidelite systems feature a low-profile design and drip edge to ensure that water is kept away from your home.

- Clean look with continuous sill and common mullion post construction
- Low profile sill design for a more manageable threshold
- Adjustable sill ensures year-round tight seal
- Pleasing aesthetic appeal with black co-extruded cap to resist wear
- Clean look and reliable performance with concealed door sweep
- Tight seal with bubbles and fin feature
- Integral drip edge sheds water to sloped sill



Concealed door sweep

DOUBLE DOOR SYSTEM



Clear sill opening



Floating Boot Astragal System

Designed for elegance and reliability, our double door entry system takes advantage of a three-point sealing system to eliminate water and air saturation. The sill also lifts with the flush bolt to improve performance and prevent excessive rubbing and wear to give your entryway a clear and unobstructed opening to the outside.

- Clear opening to outside
- Floating Boot Astragal System prevents excessive rubbing and wear
- Three-point sealing system eliminates water and air seepage
- Lifts with the flush bolt to improve performance

GARDEN DOOR SYSTEM

Underlying the beautiful appearance of our garden doors is a tough, durable construction design that puts you in charge of the elements — fresh air when it suits you, as well as complete protection against poor weather and temperature extremes.

Featuring two insulated steel slabs mounted in a single frame, these doors are available as in-swing or out-swing. In-swing doors are the more traditional alternative, with one operable and one fixed door plus a sliding ventilation screen. Out-swing doors include one panel opening as an entryway with the other opened by using a crank, allowing as much or as little air to enter as you wish. Both varieties are outfitted with co-compression weather stripping to ensure secure seals, and close tightly against even the harshest weather.



In-swing garden door with sliding screen



Out-swing garden door

DOOR OPTIONS

COLOURS

With 50 colours to choose from, you'll have no trouble using our aluminum clad door frames to complement other features of your home including matching our aluminum clad windows.

STANDARD COLOURS



LUXURY COLOURS

Variances in photography and printing may cause colours shown in this catalogue to vary from the actual finish.





2" aluminum brickmould



4" wood flat board brickmould

BRICKMOULDS

Add a classic or traditional look to your doors, using either our 4" wood flat board or our aluminum brickmould available in 2" or 4" sizes.

IGU GRILLES

Insulating Glass Unit (IGU) Grilles are an aesthetic feature that provide a luxury appearance through various design patterns placed within the glass, making them an attractive and low maintenance decorative option.




White (5/16") IGU




Pewter (5/16") IGU




White (5/8") IGU



Black (5/16") IGU




Brass (5/16") IGU



Desert Sand (5/8") IGU

SIMULATED DIVIDED LITES*

Simulated Divided Lites (SDL) provide a permanent added design feature to the inside and outside of your door glass. These lites create the appearance of traditional window lites.



7/8" SDL



1 1/8" SDL



2 1/4" SDL

*Available in vinyl only.

SECURITY STRIKE PLATES

Our in-swing entry doors provide added safety with wrap-around security strike plates for both passage and dead bolt locks. The strike plates adjust for seasonal fluctuations, providing optimum performance in all weather and temperatures. Wrap-arounds are not available on garden door systems, or on door/sidelite combinations where the strike is on the sidelight side.



DOOR OPTIONS

LowE with ARGON

Whether it's escaping the cold of winter or the heat of summer, JELD-WEN has the right LowE for your door glass. This intelligent coating on the glass, kept inside the airspace, is formulated to reduce heat loss in the winter and resist heat gain in the summer — resulting in a more constant temperature in your home year-round, not to mention reduced heating and cooling bills. All our LowE door glass comes standard with argon gas for added thermal efficiency.



REAL LIFE WARRANTY

With energy efficient designs approved by ENERGY STAR and an industry leading warranty from JELD-WEN, you can be sure you're making a good investment in your home.

Fibreglass door slabs — 10 years

Contours™ Steel door slabs — 10 years

Entry and Garden doors — 10 years

The labour to correct material defects and workmanship is covered for 2 years from the date of purchase. And if you sell your home, you can transfer the warranty coverage up to 10 years.

For details on your coverage refer to jeld-wen.ca or check your JELD-WEN Windows and Doors — Willmar Collection Warranty and Maintenance Guide.



DECORATIVE DOOR LITES

Adding decorative glass inserts to our strong Contours™ steel doors helps create distinction and individuality for your home, since you can select from a variety of sizes and alternatives, including etched designs as well as beveled glass and decorative lites. Our broad selection ensures that the end result will provide all of the natural light you wish without compromising security or privacy.



See our JELD-WEN Door Inserts Selection Guide 01C-327.



Narrow Reed



Pinhead



Rain Glass




Sandblasted

OBSCURE GLASS


Our non-decorative doors and sidelites are available with obscure glass inserts to let light in while maintaining privacy.

ENTRANCE CONFIGURATIONS


Create an entrance to fit any opening by combining doors and sidelites. Add a transom to bring in additional light to your entrance.




Single door




Double door




Single door /
Single sidelite
(right or left side)




Single door /
Double sidelites /
with optional
Rectangular transom



Single door /
Double sidelites /
with optional
Elliptical transom



Single door /
Double sidelites /
with optional
Segmental transom




Single door /
Double sidelites /
with optional
Half Round transom

STANDARD DOORS & SIDELITES


6'8" DOORS & SIDELITES w/ IGU GRILLES

Available in 2'8" or 3'0" widths. See page 19 for grille options.




6'8" SANDBLASTED DOORS & SIDELITES w/ IGU GRILLES

Available in 2'8" or 3'0" widths. Sandblast is 3/4" wide, IGU grilles are 5/8" or 5/16". See page 19 for grille options.



6'8" SANDBLASTED PATTERN DOORS & SIDELITES


Available in 2'8" or 3'0" widths. See page 19 for grille options.




Obscure glass options including Narrow Reed, Pinhead, Rain Glass and Sandblasted are available (see page 17).

6'8" EXTERNAL GRILLES & VENTING DOORS


Available in 2'8" or 3'0" widths.




2236 Lite
External Grilles
(3 x 3)



2-836 Lites
External Grilles
(1 x 3)




2206 Lite
External
Grilles
(4 x 1)




Segmental
External
Grilles
Prairie




Sunburst
External
Grilles



2064
Venting




2236
Venting
5/8" White
Rectangular
IGU Grilles (3 x 4)




2236
Venting

6'8" & 8'0" CLEAR GLASS DOORS & SIDELITES


Available in 2'8" or 3'0" widths.




Full Lite




3/4 Lite




1/2 Lite




2-836 Lites




718 Lite



2020 Lite




Full Lite




1/2 Lite

8'0" DOORS & SIDELITES w/ IGU GRILLES


Available in 2'8" or 3'0" widths. See page 19 for grille options.




Full Lite
Rectangular
IGU Grilles
(3 x 6)




1/2 Lite
Rectangular
IGU Grilles
(3 x 4)




Full Lite
Prairie
IGU Grilles




1/2 Lite
Prairie
IGU Grilles



Clear



Rectangular
IGU Grilles*



Prairie
IGU Grilles

6'8" & 8'0" FULL LITE SIDELITES

Available in 1/0 and 1/2 widths. See page 19 for grille options.

*(2 x 6) for 1/2 width and (1 x 6) for 1/0 width 6'8" sidelites. (2 x 7) for 1/2 width and (1 x 7) for 1/0 width 8'0" sidelites.



The JELD-WEN® Web site is your ultimate resource for learning about our reliable windows and doors. It has all the product information and design advice you need. Visit us at www.jeld-wen.ca today.

RELIABILITY *for real life*®

JELD-WEN
WINDOWS & DOORS



©2010 JELD-WEN of Canada, Ltd. Willmar is a registered trademark of JELD-WEN of Canada, Ltd., Manitoba CANADA. Reliability for real life is a trademark of JELD-WEN, inc., Oregon, USA. All other trademarks are the property of their respective owners.

JELD-WEN reserves the right to change product specifications without notice. Please check our Web site for current information:

www.jeld-wen.ca

11C-327 05/10 Printed in Canada